



# CASTER TOWN

Wheels — Casters — Glides — Bearings — Handling Equipment

*Serving Western Canada Since 1977*

## **Bearings & Accessories Catalog**



**CALGARY • EDMONTON • VANCOUVER • SASKATCHEWAN**



Visit our website for our full product listing at [www.castertown.com](http://www.castertown.com)

## Product

Our full line of bearings are manufactured by some of the leading manufacturers in the industry. In addition to the products listed in this catalog, many other products or special order items are available upon request. Please consult our order desk.

## Limited Warranty: General Provisions

Caster Town warrants to the original purchaser of it's product that the product will be free from defects in material and workmanship for a period of 90 days after the date of delivery to the original purchaser.

This limited warranty is not effective with respect to products that are not properly installed or not used in the proper application based on loads, speeds and other factors. This warranty does not apply to products damaged or destroyed as a result of shipping.

## Freight Policy

All goods ordered from this catalog are FOB our original purchase point warehouses and shipped via freight collect. Orders over \$500.00 may be eligible for a freight reduction of half the original freight cost to a major centre by a carrier of our choice. Any large orders or O.E.M. customers may be eligible for prepaid orders to a major centre by a carrier of our choice.

## Pricing

Prices are subject to change without notice. Caster Town makes an effort to hold prices for a minimum of one year, however, occasionally circumstances arise which are beyond our control.

## Terms

We accept Visa, MasterCard, Debit, and net 30 days on approved credit. First time orders may be subject to COD terms or a maximum charge amount depending on credit approval.

## Hours of Operation

Caster Town is open from 8:00am to 5pm weekdays (Vancouver closes at 4:30pm). Please call the branch nearest you for applicable hours of operation.

## **The difference of Precision ball bearings.**

The bearing you select for your wheel has a great impact on the overall performance of your equipment.

Precision ball bearings require less maintenance than other bearing styles leading to lower maintenance costs. They are also an excellent method of increasing weight capacity.

The ergonomics of precision bearings also help in reducing injury or fatigue by improving rollability.



Regular Flanged Bearing  
(not sealed or machined steel)



Sealed Precision  
Flanged Bearings  
(sealed)

Visit our website or give any of our locations a call for more information about any of our products or hints and application tips.

### **CALGARY**

22-5329 72 Avenue SE  
Calgary, AB T2C 4X6  
Tel: 403-236-0028  
Fax: 403-279-8231  
Toll Free: 1-800-665-1348  
Email: calgary@castertown.com

### **EDMONTON**

10524 - 184 Street  
Edmonton, AB T5S 0N7  
Tel: 780-478-3486  
Fax: 780-476-2306  
Toll Free: 1-800-323-9886  
Email: edmonton@castertown.com

### **VANCOUVER**

1075 Clark Drive  
Vancouver, BC V5L 3K2  
Tel: 604-251-3151  
Fax: 604-251-6233  
Toll Free: 1-800-689-1441  
Email: vancouver@castertown.com

### **SASKATCHEWAN**

Dean Fraser  
Representative Saskatchewan  
Tel: 306-501-3954

## ROLLER BEARINGS



Roller bearings with sleeves are generally used in caster wheels, offering the best compromise between capacity, rollability and value in a bearing.

## ROLLER BEARINGS

### without sleeves



Sleeveless or open cage roller bearings are usually used in lawn and garden applications.

| Part Number | Inner Diameter | Outer Diameter | Length |
|-------------|----------------|----------------|--------|
| BCRB12125   | 1/2"           | 1-1/16"        | 1-1/8" |
| BCRB34150   | 3/4"           | 1-3/16"        | 1-3/8" |
| BCRB34200   | 3/4"           | 1-3/16"        | 1-7/8" |
| BCRB34250   | 3/4"           | 1-3/16"        | 2-1/2" |
| BCRB58150   | 5/8"           | 1-3/16"        | 1-3/8" |
| BCRB58200   | 5/8"           | 1-3/16"        | 1-7/8" |
| BCRB10200   | 1"             | 1-7/16"        | 2"     |
| BCRB10250   | 1"             | 1-15/16"       | 2-1/2" |
| BCRB10300   | 1"             | 1-15/16"       | 3"     |
| BCRB10400   | 1"             | 1-15/16"       | 4"     |
| BCRB14250   | 1-1/4"         | 1-15/16"       | 2-1/2" |
| BCRB14300   | 1-1/4"         | 1-15/16"       | 3"     |
| BCRB142300  | 1-1/4"         | 2-7/16"        | 3"     |
| BCRB142400  | 1-1/4"         | 2-7/16"        | 4"     |
| BCRB142500  | 1-1/4"         | 2-7/16"        | 5"     |
| BCRB152300  | 1-1/2"         | 2-7/16"        | 3"     |
| BCRB152400  | 1-1/2"         | 2-7/16"        | 4"     |
| BCRB152500  | 1-1/2"         | 2-7/16"        | 5"     |

OD includes sleeve

| Part Number  | Inner Diameter | Outer Diameter | Length |
|--------------|----------------|----------------|--------|
| BCRB58138100 | 5/8"           | 1-3/8"         | 1"     |
| BCRB58138225 | 5/8"           | 1-3/8"         | 2-1/4" |
| BCRB58138325 | 5/8"           | 1-3/8"         | 3-1/4" |
| BCRB78138250 | 7/8"           | 1-3/8"         | 2-1/2" |
| BCRB34138100 | 3/4"           | 1-3/8"         | 1"     |
| BCRB34138150 | 3/4"           | 1-3/8"         | 1-1/2" |
| BCRB34138225 | 3/4"           | 1-3/8"         | 2-1/4" |
| BCRB34138250 | 3/4"           | 1-3/8"         | 2-1/2" |
| BCRB34138275 | 3/4"           | 1-3/8"         | 2 3/4" |
| BCRB34138300 | 3/4"           | 1-3/8"         | 3"     |
| BCRB34138325 | 3/4"           | 1-3/8"         | 3-1/4" |
| BCRB34138375 | 3/4"           | 1-3/8"         | 3-3/4" |
| BCRB10138100 | 1"             | 1-3/8"         | 1"     |
| BCRB10138134 | 1"             | 1-3/8"         | 1-3/4" |
| BCRB10138150 | 1"             | 1-3/8"         | 1-1/2" |
| BCRB10138225 | 1"             | 1-3/8"         | 2-1/4" |
| BCRB10138250 | 1"             | 1-3/8"         | 2-1/2" |
| BCRB10138325 | 1"             | 1-3/8"         | 3-1/4" |

## HEAVY DUTY ROLLER BEARINGS

Solid outer sleeve for simplified installation and improved grease retention



| Part Number | Inner Diameter | Outer Diameter | Length |
|-------------|----------------|----------------|--------|
| BCHRB58150  | 5/8"           | 1-3/16"        | 1-3/8" |
| BCHRB58178  | 5/8"           | 1-3/16"        | 1-7/8" |
| BCHRB34150  | 3/4"           | 1-3/16"        | 1-3/8" |
| BCHRB34178  | 3/4"           | 1-3/16"        | 1-7/8" |

OD includes sleeve

## STAINLESS STEEL ROLLER BEARINGS

Fully stainless steel version of our standard roller bearing. Provides higher capacity and improved rollability over Delrin bearings with a longer life span.



| Part Number | Inner Diameter | Outer Diameter | Length |
|-------------|----------------|----------------|--------|
| BCSSRB34150 | 3/4"           | 1-3/16"        | 1-3/8" |
| BCSSRB34200 | 3/4"           | 1-3/16"        | 2"     |
| BCSSRB10300 | 1"             | 1-15/16"       | 3"     |


OD includes sleeve

## ONE PIECE DELRIN BEARINGS

A one piece insert bearing constructed from Delrin material useful in wet environments.



| Part Number | Inner Diameter | Outer Diameter | Length |
|-------------|----------------|----------------|--------|
| BCDB12150   | 1/2"           | 1-3/16"        | 1-5/8" |
| BCDB12200   | 1/2"           | 1-3/16"        | 2-1/8" |
| BCDB58150   | 5/8"           | 1-3/16"        | 1-5/8" |
| BCDB58200   | 5/8"           | 1-3/16"        | 2-1/8" |
| BCDB34150   | 3/4"           | 1-3/16"        | 1-5/8" |
| BCDB34200   | 3/4"           | 1-3/16"        | 2-1/8" |
| BCDB10250   | 1"             | 1-15/16"       | 1-1/4" |
| BCDB10300   | 1"             | 1-15/16"       | 1-1/2" |
| BCDB14250   | 1 1/4"         | 1-15/16"       | 1-1/4" |
| BCDB14300   | 1 1/4"         | 1-15/16"       | 1-1/2" |



## NYLON RETAINER WASHERS

| Part Number | Inner Diameter | Outer Diameter |
|-------------|----------------|----------------|
| BCNW34136   | 3/4"           | 1-3/16"        |

## DOUBLE NYLON RETAINER WASHERS

| Part Number | Inner Diameter | Outer Diameter |
|-------------|----------------|----------------|
| BCDW58136   | 5/8"           | 1-3/16"        |
| BCDW34136   | 3/4"           | 1-3/16"        |



## VULCA SEALS



| Part Number | Inner Diameter | Outer Diameter |
|-------------|----------------|----------------|
| BCVS58136   | 5/8"           | 1-3/16"        |
| BCVS34136   | 3/4"           | 1-3/16"        |
| BCVS10115   | 1"             | 1-15/16"       |
| BCVS14115   | 1-1/4"         | 1-15/16"       |
| BCVS14276   | 1-1/4"         | 2-7/16"        |
| BCVS15276   | 1-1/2"         | 2-7/16"        |



## TOP HATS

(SPACERS FOR PRECISION BALL BEARINGS)

| Part Number | Inner Diameter | Outer Diameter | Length |
|-------------|----------------|----------------|--------|
| BCTH3858    | 3/8"           | 5/8"           | 3/4"   |
| BCTH1217M   | 12mm           | 17mm           | 1-1/4" |

## STEEL RETAINER WASHERS




| Part Number | Inner Diameter | Outer Diameter |
|-------------|----------------|----------------|
| BCRW34136   | 3/4"           | 1-3/16"        |
| BCRW10115   | 1"             | 1-15/16"       |
| BCRW10176   | 1"             | 1-7/16"        |
| BCRW14115   | 1-1/4"         | 1-15/16"       |
| BCRW15276   | 1-1/2"         | 2-7/16"        |

## STEEL THRUST WASHERS

| Part Number | Inner Diameter |
|-------------|----------------|
| BCTW 58TH   | 5/8"           |
| BCTW 34TH   | 3/4"           |
| BCTW 10     | 1"             |
| BCTW 12     | 1/2"           |
| BCTW 14     | 1-1/4"         |
| BCTW 15     | 1-1/2"         |



## STAINLESS STEEL THRUST WASHERS



| Part Number | Inner Diameter |
|-------------|----------------|
| BCSSTW12    | 1/2"           |
| BCSSTW34    | 3/4"           |
| BCSSTW10    | 1"             |

### Washers and Top Hats - Selection and Installation Guide

Different bearing types require different combinations of washers to ensure proper operation of the wheel. Here is a brief guide:

- Retainer washers are used to "retain" or hold in place Roller Bearings.
- Thrust washers are used in conjunction with Retainer Washers to keep the caster fork legs from compressing against the side of the wheel.
- Double Nylon Washers are a combination of a Retainer Washer and Thrust washer together in one piece.

## FLANGED BALL BEARINGS

| Part Number  | Inner Diameter | Outer Diameter |
|--------------|----------------|----------------|
| BCBB76178HEX | 7/16"          | 1-7/8"         |
| BCBB76116    | 7/16"          | 1-1/16"        |
| BCBB38136    | 3/8"           | 1-3/16"        |
| BCBB12136 L  | 1/2"           | 1-3/16"        |
| BCBB12138    | 1/2"           | 1-3/8"         |
| BCBB58138    | 5/8"           | 1-3/8"         |
| BCBB34138    | 3/4"           | 1-3/8"         |
| BCBB10200    | 1"             | 2"             |



## FLANGED PRECISION BALL BEARINGS

| Part Number  | Inner Diameter | Outer Diameter |
|--------------|----------------|----------------|
| BCPBF12118   | 1/2"           | 1-1/8"         |
| BCPBF12136 L | 1/2"           | 1-3/16"        |
| BCPBF12136 S | 1/2"           | 1-3/16"        |
| BCPBF12138   | 1/2"           | 1-3/8"         |
| BCPBF34138   | 3/4"           | 1-3/8"         |
| BCPBF58138   | 5/8"           | 1-3/8"         |



## PRECISION BALL BEARINGS

| Part Number                  | Inner Diameter | Outer Diameter | Length |
|------------------------------|----------------|----------------|--------|
| <b>Metric Inner Diameter</b> |                |                |        |
| BCPBB626 ZZ                  | 6mm            | 19mm           | 6mm    |
| BCPBB608 2RS                 | 8mm            | 22mm           | 7mm    |
| BCPBB608 2ZZ AB5             | 8mm            | 22mm           | 7mm    |
| BCPBB608 ZZ                  | 8mm            | 22mm           | 7mm    |
| BCPBB6200 2RS                | 10mm           | 30mm           | 9mm    |
| BCPBB6000 2RS                | 10mm           | 26mm           | 8mm    |
| BCPBB6201 2RS                | 12mm           | 32mm           | 10mm   |
| BCPBB6002 2RS                | 15mm           | 32mm           | 9mm    |
| BCPBB6202 ZZ                 | 15mm           | 35mm           | 11mm   |
| BCPBB6003 2RS                | 17mm           | 35mm           | 10mm   |
| BCPBB6203 2RS                | 17mm           | 40mm           | 12mm   |
| BCPBB6303 2RS                | 17mm           | 47mm           | 14mm   |
| BCPBB6004 2RS                | 20mm           | 42mm           | 12mm   |
| BCPBB6204 2RS                | 20mm           | 47mm           | 14mm   |
| BCPBB6005 2RS                | 25mm           | 47mm           | 12mm   |
| BCPBB6206 2RSC3              | 25mm           | 52mm           | 15mm   |

| Part Number                    | Inner Diameter | Outer Diameter | Length |
|--------------------------------|----------------|----------------|--------|
| <b>Imperial Inner Diameter</b> |                |                |        |
| WCRP155013                     | 7/16"          | 32mm           | 7mm    |
| WCRP165003                     | 1/2"           | 27mm           | 11mm   |
| WCRP265005                     | 7/16"          | 23mm           | 10mm   |
| WCRP365007                     | 5/16"          | 23mm           | 10mm   |
| BCPBB6201 12 2RS               | 1/2"           | 32mm           | 10mm   |
| BCPBB6202 12 2RS               | 1/2"           | 35mm           | 11mm   |
| BCPBB6203 12 2RS               | 1/2"           | 40mm           | 12mm   |
| BCPBB6202 58 2RS               | 5/8"           | 35mm           | 11mm   |
| BCPBB6203 58 2RS               | 5/8"           | 40mm           | 12mm   |
| BCPBB6004 58 2RS               | 5/8"           | 42mm           | 12mm   |
| BCPBB6004 34 2RS               | 3/4"           | 42mm           | 12mm   |
| BCPBB6203 34 2RS               | 3/4"           | 40mm           | 12mm   |
| BCPBB6204 34 2RS               | 3/4"           | 47mm           | 14mm   |
| BCPBBR12 2RS                   | 3/4"           | 41mm           | 10mm   |
| BCPBB6205 1 2RS                | 1"             | 52mm           | 15mm   |



## TAPERED ROLLER BEARINGS & RACEWAYS

| Bearings    |                | Raceways    |                |
|-------------|----------------|-------------|----------------|
| Part Number | Inner Diameter | Part Number | Outer Diameter |
| TAL44643    | 1"             | TAL44610    | 1.08"          |
| TAL44649    | 1.06"          |             |                |
| TAL68149    | 1.04"          | TAL68111    | 2.05"          |
| TALM11949   | 0.75"          | TALM11910   | 1.94"          |
| TALM12749   | 0.9"           | TALM12711   | 1.8"           |
| TALM67048   | 1.25"          | TALM67010   | 2.32"          |
| TALM48548   | 1.37"          | TALM48510   | 2.3"           |
| TALM29749   | 1.5"           | TALM29710   | 2.7"           |
| TALM501349  | 1.62"          | TALM501310  | 3.1"           |
| TALM603049  | 1.78"          | TALM603011  | 3.63"          |

Banded lines indicate which bearing should be paired with which raceway.

**ex:** The TAL44610 raceway can be paired with either the TAL44643 or TAL44649 bearing.





## FLANGED BRASS BEARINGS

| Part Number | Inner Diameter | Outer Diameter | Length |
|-------------|----------------|----------------|--------|
| BCBFB34136  | 3/4"           | 1-3/16"        | 5/8"   |

## FLANGED ROLLER BEARINGS



| Part Number | Inner Diameter | Outer Diameter |
|-------------|----------------|----------------|
| BCRF58138   | 5/8"           | 1-3/8"         |
| BCRF34138   | 3/4"           | 1-3/8"         |



## TOY BEARINGS

## FLANGED DELRIIN BEARINGS



| Part Number | Inner Diameter | Outer Diameter |
|-------------|----------------|----------------|
| BCDF12118   | 1/2"           | 1-1/8"         |
| BCDF38118   | 3/8"           | 1-1/8"         |
| BCDF58118   | 5/8"           | 1-1/8"         |
| BCDF12136   | 1/2"           | 1-3/16"        |
| BCDF58136   | 5/8"           | 1-3/16"        |
| BCDF34136   | 3/4"           | 1-3/16"        |
| BCDF12138   | 1/2"           | 1-3/8"         |
| BCDF58138   | 5/8"           | 1-3/8"         |
| BCDF34138   | 3/4"           | 1-3/8"         |
| BCDF10138   | 1"             | 1-3/8"         |

| Part Number    | Inner Diameter | Outer Diameter | Details         |
|----------------|----------------|----------------|-----------------|
| MWTBB 12       | 1/2"           | 1-1/8"         | -               |
| MWTBB 38       | 3/8"           | 1-1/8"         | -               |
| MWTBB 38 L     | 3/8"           | 1-1/8"         | 3/4" hub length |
| MWTBB 516 L    | 5/16"          | 1-1/8"         | 3/4" hub length |
| MWTBB 76STD ER | 7/16           | 1-1/8"         | Extended race   |



## LAZY SUSAN BEARINGS



| Part Number | Size | Shape  | Weight Capacity |
|-------------|------|--------|-----------------|
| HW3C        | 3"   | Square | 200 lbs         |
| HW4C        | 4"   | Square | 300 lbs         |
| HW6C        | 6"   | Square | 500 lbs         |
| HW9C        | 9"   | Round  | 750 lbs         |
| HW12C       | 12"  | Round  | 1000 lbs        |

## BALL TRANSFERS

| Part Number   | Size   | Description                   | Weight Capacity |
|---------------|--------|-------------------------------|-----------------|
| BCBT 10       | 1"     | Flanged Mount                 | 75lbs           |
| BCBT 15       | 1-1/2" | Flanged Mount                 | 250lbs          |
| BCBTN 10      | 1"     | Nylon Ball/Flanged Mount      | 75lbs           |
| BCBT 10TS38   | 1"     | 3/8" x 1" Threaded Stem       | 75lbs           |
| BCBT 10TS516  | 1"     | 5/16" x 1" Threaded Stem      | 75lbs           |
| BCBT 10TS516S | 1"     | 1-7/32" Outside Diameter      | 75lbs           |
| BCBTM 30      | 30 mm  | All Carbon Steel Components   | 770lbs          |
| BCBTM 45      | 45 mm  | All Carbon Steel Components   | 1325lbs         |
| BCBTSS 10     | 1"     | Stainless Steel Ball Transfer | 75lbs           |
| BCBTSS 15     | 1.5"   | Stainless Steel Ball transfer | 250lbs          |

BCBT 10TS 516S



BCBT 10TS



BCBT 10

| Part Number | Inner Diameter | Outer Diameter | Length |
|-------------|----------------|----------------|--------|
|-------------|----------------|----------------|--------|

|             |        |        |          |
|-------------|--------|--------|----------|
| BCSB5612196 | 5/16"  | 1/2"   | 1 9/16"  |
| BCSB5638196 | 5/16"  | 3/8"   | 1 9/16"  |
| BCSB5658111 | 5/16"  | 5/8"   | 1 11/16" |
| BCSB3812178 | 3/8"   | 1/2"   | 1 7/8"   |
| BCSB3812196 | 3/8"   | 1/2"   | 1 9/16"  |
| BCSB3858111 | 3/8"   | 5/8"   | 1 11/16" |
| BCSB3858178 | 3/8"   | 5/8"   | 1 7/8"   |
| BCSB1234178 | 1/2"   | 3/4"   | 1 7/8"   |
| BCSB1234276 | 1/2"   | 3/4"   | 2 7/16"  |
| BCSB1258178 | 1/2"   | 5/8"   | 1 7/8"   |
| BCSB1258276 | 1/2"   | 5/8"   | 2 7/16"  |
| BCSB1210300 | 1/2"   | 1"     | 3"       |
| BCSB5834178 | 5/8"   | 3/4"   | 1 7/8"   |
| BCSB5834276 | 5/8"   | 3/4"   | 2 7/16"  |
| BCSB3410300 | 3/4"   | 1"     | 3"       |
| BCSB3410312 | 3/4"   | 1"     | 3 1/2"   |
| BCSB1014312 | 1"     | 1 1/4" | 3 1/2"   |
| BCSB1014412 | 1"     | 1 1/4" | 4 1/2"   |
| BCSB1415312 | 1 1/4" | 1 1/2" | 3 1/2"   |
| BCSB1415412 | 2 1/2" | 1 1/2" | 4 1/2"   |

## Steel Spanner Bushings



## Stainless Steel Spanner Bushings



| Part Number | Inner Diameter | Outer Diameter | Length |
|-------------|----------------|----------------|--------|
|-------------|----------------|----------------|--------|

|               |       |      |          |
|---------------|-------|------|----------|
| BCSSB3812196  | 3/8"  | 1/2" | 1-9/16"  |
| BCSSB3815M178 | 3/8"  | 15mm | 1 7/8"   |
| BCSSB3834178  | 3/8"  | 3/4" | 1 7/8"   |
| BCSSB3858111  | 3/8"  | 5/8" | 1 11/16" |
| BCSSB3858178  | 3/8"  | 5/8" | 1 7/8"   |
| BCSSB5612M111 | 5/16" | 12mm | 1-11/16" |
| BCSSB5634111  | 5/16" | 3/4" | 1-11/16" |
| BCSSB5658111  | 5/16" | 5/8" | 1 11/16" |
| BCSSB1234178  | 1/2"  | 3/4" | 1 7/8"   |
| BCSSB1234276  | 1/2"  | 3/4" | 2 7/16"  |
| BCSSB3410300  | 3/4"  | 1"   | 3"       |
| BCSSB3410312  | 3/4"  | 1"   | 3.5"     |

| Part Number | Inner Diameter | Outer Diameter | Length |
|-------------|----------------|----------------|--------|
|-------------|----------------|----------------|--------|

|              |       |      |         |
|--------------|-------|------|---------|
| BCDSB5612196 | 5/16" | 1/2" | 1 9/16" |
| BCDSB3812158 | 3/8"  | 1/2" | 1-5/8"  |
| BCDSB3858111 | 3/8"  | 5/8" | 11/16"  |
| BCDSB1234178 | 1/2"  | 3/4" | 1-7/8"  |
| BCDSB1234276 | 1/2"  | 3/4" | 2-7/16" |

## Delrin Spanner Bushings



# Additional Hardware

## STEEL BALL BEARINGS



| Part Number | Description |
|-------------|-------------|
| BCBALL 14   | 1/4"        |
| BCBALL 516  | 5/16"       |
| BCBALL 38   | 3/8"        |
| BCBALL 12   | 1/2"        |
| BCBALL 58   | 5/8"        |

**Stainless Steel also available**

## COTTER PINS



| Part Number | Description    |
|-------------|----------------|
| HWCP 18X112 | 1/8" x 1-1/2"  |
| HWCP 18X2   | 1/8" x 2"      |
| HWCP 316X15 | 3/16" x 1-1/2" |
| HWCP 532X1  | 5/32" x 1"     |


## COLD ROLLED STEEL AXLES

| Part Number | Width | Length |
|-------------|-------|--------|
| HWCR516X3   | 5/16" | 3'     |
| HWCR38X3    | 3/8"  | 3'     |
| HWCR716X10  | 7/16" | 10"    |
| HWCR716X3   | 7/16" | 3'     |
| HWCR12X10   | 1/2"  | 10"    |
| HWCR12X3    | 1/2"  | 3'     |
| HWCR58X10   | 5/8"  | 10"    |
| HWCR58X3    | 5/8"  | 3'     |
| HWCR34X10   | 3/4"  | 10"    |
| HWCR34X23   | 3/4"  | 23"    |
| HWCR1X10    | 1"    | 10"    |
| HWCR1X3     | 1"    | 3'     |



## PUSH CAPS

| Part Number | Size  |
|-------------|-------|
| HWPC14      | 1/4"  |
| HWPC516     | 5/16" |
| HWPC38      | 3/8"  |
| HWPC716     | 7/16" |
| HWPC12      | 1/2"  |
| HWPC58      | 5/8"  |



## BROOM HOLDERS



## CLAMP FASTENERS



| Part Number | Description              |
|-------------|--------------------------|
| HWHR 1      | Small clamp              |
| HWDH 39     | Strike plate for HWHR 9  |
| HWHR 9      | Large clamp              |
| HWHS 11     | Strike plate for HWDH 11 |

| Part Number | Description                                    |
|-------------|------------------------------------------------|
| HWBH5046    | Broom and tool holder                          |
| HWBH5047    | 18" mounting bar                               |
| HWBH515 RP  | Steel and rubber broom holder                  |
| HWBHASG2    | Gripit Broom and tool holder                   |
| TZSC BAR    | Superclamp bar<br>(components sold separately) |